



Peter Pan



P947
PRICE CODE C

DOUBLE KNITTING

41-66cm (16-26ins)
0/6 mths - 6/7 yrs



CROSSOVER CARDIGAN AND SHAWL in Wendy Peter Pan D.K.

P947

Knitted in Peter Pan D.K.
Shades:
300 Pure White
303 Pale Lemon

Instructions given for 41 cm. (16 inch) Chest, larger sizes given in round brackets. Where only one figure is given this applies to all sizes.

MATERIALS AND MEASUREMENTS

To Fit Age, approximately	0-6 mths	6-12 mths	1-2 yrs	2-3 yrs	4-5 yrs	6-7 yrs	
To Fit Chest Sizes	41 16	46 18	51 20	56 22	61 24	66 26	cm. ins.
Actual Measurements	46 18	51 20	56 22	61 24	66 26	71 28	cm. ins.
CARDIGAN							
Peter Pan D.K. (50g.) 300 and 303	2	2	3	3	4	4	Balls
Peter Pan D.K. (100g.)	1	1	2	2	2	2	Balls
Wendy Beach Baby D.K. (150g.)	1	1	1	2	2	2	Balls
Wendy Courtelle Baby (100g.)	1	1	2	2	2	3	Balls
2 - 4 mm. (U.K. 8 - U.S.A. 6) Wendy Knitting Needles. Cable Needle. 4 Buttons plus a further 2 Buttons, if desired.							
Length from Shoulder	21 8¼	25 9¾	29 11½	33 13	38 15	42 16½	cm. ins.
Sleeve Seam	12 4¾	15 6	19 7½	23 9	27 10½	31 12¼	cm. ins.
SHAWL	120 x 120						cm.
Actual Measurement	47¼ x 47¼						ins.
SHAWL							
Peter Pan D.K. (50g.) 300	13						Balls
Peter Pan D.K. (100g.)	7						Balls
Wendy Beach Baby D.K. (150g.)	5						Balls
Wendy Courtelle Baby (100g.)	8						Balls
2 - 4 mm. (U.K. 8 - U.S.A. 6) Wendy Knitting Needles. Cable Needle. 80 cm. (31½ ins.) of narrow ribbon.							

Please note that the limitations of the printing process mean the actual colour will not always precisely match the colours in the photograph.

IMPORTANT

Use only the Peter Pan or Wendy yarns specified. We cannot accept responsibility for an imperfect garment if any other brand is used. It is essential to work to the tension stated. The quantities of yarn stated are based on average requirements and are therefore approximate.

ABBREVIATIONS

K. - Knit; **P.** - Purl; **st(s).** - stitch(es); **st.st.** - stocking stitch (1 row knit, 1 row purl); **g.st.** - garter stitch (every row knit); **rept.** - repeat; **beg.** - beginning; **alt.** - alternate; **inc.** - increase; **dec.** - decrease; **sl.** - slip; **p.s.s.o.** - pass slipped stitch over; **tog.** - together; **t.b.l.** - through back of loops; **patt.** - pattern; **C.4B.** - slip next 2 sts. onto cable needle and leave at back of work, K.2, then K.2 from cable needle;

C.4F. - slip next 2 sts. onto cable needle and leave at front of work, K.2, then K.2 from cable needle; **M.1** - make one stitch by picking up loop lying between needles and working into back of this loop; **y.fwd.** - yarn forward (to make a stitch); **cm.** - centimetres; **ins.** - inches.

TENSION

It is important to check your tension before commencing the garment.

24 sts. and 32 rows to 10 cm. (4 ins.) over st.st. on 4 mm. Needles.

If there are too many stitches to 10 cm., then your tension is tight and you will need to change your needle to a larger size. If there are too few stitches to 10 cm., then your tension is loose and you will need to change your needle to a smaller size.

CARDIGAN

BACK

Using 4 mm. Needles cast on 54 (62, 66, 74, 78, 86) sts.

1st Row (Right side) - K.2, *P.2, K.2, rept.

from * to end.

2nd Row - P.2, *K.2, P.2, rept. from * to end.

These 2 rows form rib.

Work in rib for a further 10 rows, finishing on a wrong side row and inc. (dec., inc., dec., inc., dec.) 1 st. at centre of last row. 55 (61, 67, 73, 79, 85) sts.

Commencing with a K. row, continue in st.st. throughout as follows:-

Work 26 (36, 44, 54, 68, 76) rows, thus finishing on a wrong side row.

Shape Armholes

Cast off 3 sts. at beg. of next 2 rows. 49 (55, 61, 67, 73, 79) sts.

Next Row (Right side) - K.2, K.2tog., K. to last 4 sts., sl. 1, K.1, p.s.s.o., K.2.

Next Row - P.2, P.2tog. t.b.l., P. to last 4 sts., P.2tog., P.2.

Working all decreases as set by last 2 rows, dec. 1 st. at each end of next and following 2 (3, 3, 4, 4, 5) alt. rows. 39 (43, 49, 53, 59, 63) sts.

Continue straight in st.st. until armholes measure 9 (10, 11, 12, 13, 14) cm., 3½ (4, 4¼, 4¾, 5, 5½) ins., finishing on a wrong side row.

Shape Shoulders

Cast off 10 (11, 13, 14, 17, 18) sts. at beg. of next 2 rows.

Cast off remaining 19 (21, 23, 25, 25, 27) sts.

LEFT FRONT

Using 4 mm. Needles cast on 52 (56, 64, 68, 76, 80) sts.

1st Row (Right side) - K.2, *P.2, K.2, rept. from * to last 6 sts., K.6.

2nd Row - K.6, P.2, *K.2, P.2, rept. from * to end.

These 2 rows form rib with 6 sts. worked in g.st. for front border.

3rd Row - Rib to last 6 sts., K.2, y.fwd., K.2tog., K.2.

Work a further 5 rows.

9th Row - As 3rd Row.

Work 3 rows more, thus finishing on a wrong side row and dec. (inc., dec., inc., dec., inc.) 1 st. at centre of last row. 51 (57, 63, 69, 75, 81) sts.

Next Row (Right side) - K.10 (11, 11, 12, 12, 13), place marker on needle, M.1, K.4, M.1, K.4, M.1, place marker on needle, K.23 (28, 34, 39, 45, 50), sl. 1, K.1, p.s.s.o., K.8. 53 (59, 65, 71, 77, 83) sts.

Commence Pattern

1st Row (Wrong side) – K.6, [P.2, P.2tog. t.b.l.] 1 (0, 0, 0, 0, 0) time, P. to marker, sl. marker to right needle, K.1, [P.4, K.1] twice, slip marker to right needle, P. to end.

2nd Row – K. to marker, sl. marker to right needle, P.1, C.4B., P.1, C.4F., P.1, slip marker to right needle, K. to last 10 sts., sl. 1, K.1, p.s.s.o., K.8.

3rd Row – K.6, [P.2, P.2tog. t.b.l.] 1 (0, 0, 0, 0, 0) time, P. to marker, sl. marker to right needle, K.1, [P.4, K.1] twice, slip marker to right needle, P. to end.

4th Row – K. to marker, sl. marker to right needle, P.1, [K.4, P.1] twice, slip marker to right needle, K. to last 10 sts., sl. 1, K.1, p.s.s.o., K.8.

These 4 rows set cable patt (worked between markers) and front slope shaping (worked 2 sts. inside front opening g.st. border).

Keeping sts. correct as set and working all decreases as set, dec. 1 st. at front opening edge on next 2 (0, 0, 0, 0, 0) rows, then on every following alt. row until 38 (42, 44, 45, 46, 49) sts. remain.

5th and 6th Sizes Only

Dec. 1 st. at front opening edge on following 4th row from previous dec. (45, 48) sts.

All Sizes

Work 1 (1, 1, 1, 1, 3) rows, thus finishing on a wrong side row.

Shape Armhole

Working all armhole decreases in same way as for Back and keeping front slope decreases correct as set, continue as follows:-

Cast off 3 sts. at beg. and dec. 1 (1, 1, 1, 0, 1) st. at end of next row. 34 (38, 40, 41, 42, 44) sts.

Work 1 row.

Dec. 1 st. at armhole edge of next 3 rows, then on following 2 (3, 3, 4, 4, 5) alt. rows (noting that last armhole decrease should be worked “P.2tog.” instead of “K.2tog.”) **and at same time** dec. 1 st. at front opening edge on every following alt. (alt. alt., alt., 4th, 4th) row from previous dec. 25 (27, 29, 28, 32, 33) sts.

Work 1 (5, 5, 5, 7, 5) rows, dec. 1 st. at front opening edge **only** on 0 (2nd, 2nd, 2nd, 2nd, 2nd) and every following 0 (alt., alt., 0, 4th, 0) row. 25 (25, 27, 27, 30, 32) sts.

Next Row (Right side) – K.2, slip marker to right needle, K.2tog., K.3, K.2tog., K.2, sl. 1, K.1, p.s.s.o., slip marker to right

needle, K.2 (2, 4, 4, 17, 9), [sl. 1, K.1, p.s.s.o., K.8] 1 (1, 1, 1, 0, 1) times. 21 (21, 23, 23, 27, 28) sts.

****Remove markers and, commencing with a P. row, now working sts. that had been between markers in st.st., continue as follows:-**

Dec. 1 st. at front opening edge on every following alt. (alt., alt., 4th, 4th, 4th) row from previous dec. until 16 (17, 21, 20, 23, 24) sts. remain.

3rd Size Only

Dec. 1 st. at front opening edge on every following 4th row from previous dec. until 19 sts. remain.

All Sizes

Continue straight until Left Front matches Back to start of shoulder shaping, ending at armhole edge.

Shape Shoulders

Cast off 10 (11, 13, 14, 17, 18) sts. at beg. of next row.

Continue in g.st. on remaining 6 sts. for a further 3.5 (4, 4.5, 5, 5, 5.5) cm., 1¼ (1½, 1¾, 2, 2, 2¼) ins., for back neck border extension.

Cast off.

RIGHT FRONT

Using 4 mm. Needles cast on 52 (56, 64, 68, 76, 80) sts.

1st Row (Right side) – K.8, *P.2, K.2, rept. from * to end.

2nd Row – P.2, *K.2, P.2, rept. from * to last 6 sts., K.6.

These 2 rows form rib with 6 sts. worked in g.st. for front border.

3rd Row – K.2, K.2tog., y.fwd., K.2, rib to end.

Work a further 5 rows.

9th Row – As 3rd Row.

Work 3 rows more, thus finishing on a wrong side row and dec. (inc., dec., inc., dec., inc.) 1 st. at centre of last row. 51 (57, 63, 69, 75, 81) sts.

Next Row (Right side) – K.8, K.2tog., K.23 (28, 34, 39, 45, 50), place marker on needle, M.1, K.4, M.1, K.4, M.1, place marker on needle, K.10 (11, 11, 12, 12, 13). 53 (59, 65, 71, 77, 83) sts.

Commence Pattern

1st Row (Wrong side) – P. to marker, sl. marker to right needle, K.1, [P.4, K.1] twice, slip marker to right needle, P. to last 10 (6, 6, 6, 6, 6) sts., [P.2tog., P.2] 1 (0, 0, 0, 0, 0) time, K.6.

2nd Row – K.8, K.2tog., K. to marker, sl.

marker to right needle, P.1, C.4B., P.1, C.4F., P.1, slip marker to right needle, K. to end.

3rd Row – P. to marker, sl. marker to right needle, K.1, [P.4, K.1] twice, slip marker to right needle, P. to last 10 (6, 6, 6, 6, 6) sts., [P.2tog., P.2] 1 (0, 0, 0, 0, 0) time, K.6.

4th Row – K.8, K.2tog., K. to marker, sl. marker to right needle, P.1, [K.4, P.1] twice, slip marker to right needle, K. to end.

These 4 rows set cable patt (worked between markers) and front slope shaping (worked 2 sts. inside front opening g.st. border).

Keeping sts. correct as set and working all decreases as set, dec. 1 st. at front opening edge on next 2 (0, 0, 0, 0, 0) rows, then on every following alt. row until 38 (42, 44, 45, 46, 49) sts. remain.

5th and 6th Sizes Only

Dec. 1 st. at front opening edge on following 4th row from previous dec. (45, 48) sts.

All Sizes

Work 1 (1, 1, 1, 1, 3) rows, thus finishing on a wrong side row.

Shape Armhole

Working all armhole decreases in same way as for Back and keeping front slope decreases correct as set, continue as follows:-

Dec. 1 (1, 1, 1, 0, 1) st. at beg. of next row, then cast off 3 sts. at beg. of following row. 34 (38, 40, 41, 42, 44) sts.

Dec. 1 st. at armhole edge of next 3 rows, then on following 2 (3, 3, 4, 4, 5) alt. rows (noting that last armhole decrease should be worked “P.2tog.” instead of “sl. 1, K.1, p.s.s.o.”) **and at same time** dec. 1 st. at front opening edge on every following alt. (alt. alt., alt., 4th, 4th) row from previous dec. 25 (27, 29, 28, 32, 33) sts.

Work 1 (5, 5, 5, 7, 5) rows, dec. 1 st. at front opening edge **only** on 0 (2nd, 2nd, 2nd, 2nd, 2nd) and every following 0 (alt., alt., 0, 4th, 0) row. 25 (25, 27, 27, 30, 32) sts.

Next Row (Right side) – [K.8, K.2tog.] 1 (1, 1, 1, 0, 1) time, K.2 (2, 4, 4, 17, 9), slip marker to right needle, K.2tog., K.3, K.2tog., K.2, sl. 1, K.1, p.s.s.o., slip marker to right needle, K.2. 21 (21, 23, 23, 27, 28) sts.

Complete to match Left Front from **.

SLEEVES (Both Alike)

Using 4 mm. Needles cast on 30 (34, 34,



Commencing with a K. row, continue in st.st. throughout as follows:-
Inc. 1 st. at both ends of 5th (9th, 9th, 9th, 9th, 9th) and every following 5th (9th, 9th, 10th, 10th, 10th) row until there are 37 (39, 43, 47, 51, 55) sts.
Continue without further shaping until Sleeve measures 12 (15, 19, 23, 27, 31) cm., 4¾ (6, 7½, 9, 10½, 12¼) ins., from cast-on edge, finishing on a wrong side row.

Shape Top

Cast off 3 sts. at beg. of next 2 rows. 31 (33, 37, 41, 45, 49) sts.
Working all decreases in same way as armhole decreases, continue as follows:-
Dec. 1 st. at each end of next 3 rows, then on every following alt. row until 15 (15, 17, 19, 21, 23) sts. remain, then on following 3 rows.
Cast off remaining 9 (9, 11, 13, 15, 17) sts.

PRESSING

With wrong side facing, pin out all pieces to measurements given. Press as instructions given on ball band.

MAKING UP

Join shoulder seams by top-sewing. Join cast-off edges of back neck border extensions, then sew one edge of border to back neck. Join side seams by top-sewing. Join sleeve seams by top-sewing. Insert Sleeves. Sew on buttons, attaching 2 buttons to right side of one front and other 2 buttons to wrong side of other front. If desired attach a further to buttons to right side directly over those sewn to wrong side.

SHAWL

CENTRE PANEL

Using 4 mm. Needles cast on 254 sts.

Commence Pattern

1st Row (Right side) – K.46, *P.1, K.4, P.1, K.46, rept. from * to end.
2nd Row – P.46, *K.1, P.4, K.1, P.46, rept. from * to end.
3rd Row – K.46, [P.1, C.4B., P.1, K.46] twice, [P.1, C.4F., P.1, K.46] twice.
4th Row – As 2nd Row.
These 2 rows form patt.
Continue in patt. until Centre Panel is a square, finishing on a 4th patt. row. (Work should measure approx. 102 cm. (40¾ ins.)
Cast off in patt.

SIDE PANELS (Make 4)

Using 4 mm. Needles cast on 19 sts.

Commence Pattern

1st Row (Right side) – K.4, *P.1, K.4, rept. from * to end.
2nd Row – P.4, *K.1, P.4, rept. from * to end.
3rd Row – K.4, P.1, C.4B., P.1, C.4F., P.1, K.4.
4th Row – As 2nd Row.
These 2 rows form patt.
Continue in patt. until Side Panel measures approx. 105 cm. (41¾ ins.), finishing on a 4th patt. row.
Next Row (Right side) – K.4, K.2tog., K.3, K.2tog., K.2, sl. 1, K.1, p.s.s.o., K.4. (16 sts.)
Commencing with a P. row, continue in st.st. until Side Panel measures 109 cm. (43 ins.), finishing on a wrong side row.
Cast off.

EDGING

Matching cast-on edge of one Side Panel to a corner of Centre Panel, sew first Side Panel to Centre Panel, leaving 6.5 cm. (2½ ins.) of Side Panel extending beyond Centre at cast-off end. Sew remaining 3 Side Panels to Centre Panel in same way, then sew cast-on ends of Side Panels to free side edges of other Side Panels near cast-off ends.
Using 4 mm. Needles cast on 3 sts.

Commence Pattern

1st Row (Right side) – Inc. in first st., K.2.
2nd and Every Following Alt. Row – Knit.
3rd Row – Inc. in first st., K.3.
5th Row – Inc. in first st., K.4.
7th Row – Inc. in first st., K.5. (7 sts.)
9th Row – K.2tog., K.5.
11th Row – K.2tog., K.4.
13th Row – K.2tog., K.3.
15th Row – K.2tog., K.2. (3 sts.)
16th Row – K.3.
These 16 rows form patt.
Continue in patt. until Edging fits around entire outer edge of Centre and Side Panels, sewing in place as you go along, easing Edging around corners and finishing on a 16th patt. row.
Cast off.

PRESSING

With wrong side facing, pin out to measurements given. Press as instructions given on ball band.

MAKING UP

Join cast-on and cast-off ends of Edging. Cut ribbon into four equal lengths and tie each piece into a bow. Attach bows to Side Panels at top of cables as in photograph.

Press seams.
For washing instructions see ballband.



Our Knitting Bureau will gladly give any assistance or advice on Wendy designs if queries are accompanied by a Wendy or Peter Pan ball band and a stamped addressed envelope.

CARTER & PARKER LTD., GUISELEY, YORKS.
A Member of the Thomas Ramsden Group