

BONUS ARAN

9691

61/66 - 112/117cm

24/26 - 44/46"



Hayfield

FAMILY SWEATERS in *Hayfield* BONUS ARAN 9691

MEASUREMENTS

TO FIT CHEST/BUST	61/66	71/76	81/86	91/97	102/107	112/117	cm
	24/26	28/30	32/34	36/38	40/42	44/46	in
ACTUAL MEASUREMENT	70	80	90	101	112	121	cm
	27½	31½	35½	39¾	44	47¾	in
FULL LENGTH	48	56	60	62	72	74	cm
	19	22	23¾	24½	28¼	29¼	in
SLEEVE LENGTH (adjustable)	33	41	46	46	48	50	cm
	13	16	18	18	19	19¾	in

MATERIALS

Round Neck Sweater							
F119 Hayfield Bonus Aran shade 772	1	1	2	2	2	2	400g balls
V Neck Sweater							
F119 Hayfield Bonus Aran shade 962	1	1	2	2	2	2	400g balls
Stand Up Neck Sweater							
F119 Hayfield Bonus Aran shade 774	1	2	2	2	2	2	400g balls
Wrap Neck Sweater							
F119 Hayfield Bonus Aran shade 775	1	1	2	2	2	2	400g balls

Also suitable for Hayfield Bonus Aran Tweed.

The yarn amounts are based on average requirements when specified tension and yarn is used. You will also need 1 Pair of 5mm (UK6 – USA8) Knitting Needles, 1 Pair of 4mm (UK8 – USA6) Knitting Needles.

Cable Needle and Stitch Holders.

TENSION

Centre Cable Pattern (40 sts) measures 15cm, (6in). 18 sts and 24 rows to 10cm, (4in) over irish moss-stitch on 5mm needles or the size required to give correct tension.

Check your tension – if less stitches use a thinner needle, if more use a thicker needle.

IT IS ESSENTIAL TO WORK TO THE STATED TENSION TO ENSURE SUCCESS.

ABBREVIATIONS

alt alternate, **beg** beginning, **CN** cable needle, **cm** centimetres, **cont** continue, **dec** decrease(ing), **fol** following, **g** grammes, **in** inch(es), **inc** increase(ing), **k** knit, **mm** millimetres, **0** no stitches or rows, **p** purl, **patt** pattern, **psso** pass slipped stitch over, **rem** remain(ing), **rep** repeat, **rs** right side, **s1** slip 1 stitch knitways, **st(s)** stitch(es), **tbl** through back of loop, **tog** together, **ws** wrong side.

C5B slip next 3 sts to back on CN, k2, slip 3rd st from CN onto left hand needle, bring 2 sts on CN to front, k1 from left hand needle then k2 from CN.

C4B slip next 2 sts to back on CN, k2, then k2 from CN.

T3B slip next st to back on CN, k2, then p1 from CN.

T3F slip next 2 sts to front on CN, p1, then k2 from CN.

Circle the size you wish to make

ROUND NECK SWEATER

BACK

Using 4mm needles and thumb method cast on 82 [94:102:110:122:130] sts.

1st Row. * K2, p2, rep from * to last 2 sts, k2.

2nd Row. P2, * k2, p2, rep from * to end.

1st and 2nd rows will now be referred to as **2x2 rib**.

Work 5 [5:5:5:7:7] rows more in 2x2 rib.

Next Row. Rib 19 [13:14:28:21:22], rib2tog, (rib 40 [20:22:50:24:26],

rib2tog) 1 [3:3:1:3:3] times, rib 19 [13:14:28:21:22].

80 [90:98:108:118:126] sts.

Change to 5mm needles and proceed as follows:-

1st Row. K1 [0:0:1:0:0], (p1, k1) 9 [12:14:16:19:21] times, p3, C4B, * p2, k1, (p4, C5B) twice, p4, k1, p2, * C4B, p3, (k1, p1) 9 [12:14:16:19:21] times, k1 [0:0:1:0:0].

2nd Row. P1 [0:0:1:0:0], (k1, p1) 9 [12:14:16:19:21] times, k3, p4, * k2, p1, k4, (p5, k4) twice, p1, k2, * p4, k3, (p1, k1) 9 [12:14:16:19:21] times, p1 [0:0:1:0:0].





3rd Row. P1 [0:0:1:0:0], (k1, p1) 9 [12:

14:16:19:21] times, k1, p2, k4, * p2, k1, p3, T3B, k1, T3F, p2, T3B, k1, T3F, p3, k1, p2, * k4, p2, k1, (p1, k1) 9 [12:14:16:19:21] times, p1 [0:0:1:0:0].

4th Row. K1 [0:0:1:0:0], (p1, k1) 9 [12:14:16:19:21] times, p1, k2, p4, * k2, p1, k3, p2, k1, p1, k1, p2, k2, p2, k1, p1, k1, p2, k3, p1, k2, * p4, k2, p1, (k1, p1) 9 [12:14:16:19:21] times, k1 [0:0:1:0:0].

5th Row. K1 [0:0:1:0:0], (p1, k1) 9 [12:14:16:19:21] times, p3, C4B, * p2, k1, p2, T3B, p1, k1, p1, T3F, T3B, p1, k1, p1, T3F, p2, k1, p2, * C4B, p3, (k1, p1) 9 [12:14:16:19:21] times, k1 [0:0:1:0:0].

6th Row. P1 [0:0:1:0:0], (k1, p1) 9 [12:



14:16:19:21] times, k3, p4, * k2, p1, k2, p2, k2, p1, k2, p4, k2, p1, k2, p2, k2, p1, k2, * p4, k3, (p1, k1) 9 [12:14:16:19:21] times, p1 [0:0:1:0:0].

7th Row. P1 [0:0:1:0:0], (k1, p1) 9 [12:14:16:19:21] times, k1, p2, k4, * p2, k1, p2, k2, p2, k1, p2, C4B, p2, k1, p2, k2, p2, k1, p2, * k4, p2, k1, (p1, k1) 9 [12:14:16:19:21] times, p1 [0:0:1:0:0].

8th Row. K1 [0:0:1:0:0], (p1, k1) 9 [12:14:16:19:21] times, p1, k2, p4, * k2, p1, k2, p2, k2, p1, k2, p4, k2, p1, k2, p2, k2, p1, k2, * p4, k2, p1, (k1, p1) 9 [12:14:16:19:21] times, k1 [0:0:1:0:0].

9th Row. K1 [0:0:1:0:0], (p1, k1) 9 [12:14:16:19:21] times, p3, C4B, * p2, k1, p2, k2, p2, k1, p2, k4, p2, k1, p2, k2, p2, k1, p2, * C4B, p3, (k1, p1) 9 [12:14:16:19:21] times, k1 [0:0:1:0:0].

10th Row. P1 [0:0:1:0:0], (k1, p1) 9 [12:14:16:19:21] times, k3, p4, * k2, p1, k2, p2, k2, p1, k2, p4, k2, p1, k2, p2, k2, p1, k2, * p4, k3, (p1, k1) 9 [12:14:16:19:21] times, p1 [0:0:1:0:0].

11th Row. P1 [0:0:1:0:0], (k1, p1) 9 [12:14:16:19:21] times, k1, p2, k4, * p2, k1, p2, k2, p2, k1, p2, C4B, p2, k1, p2, k2, p2, k1, p2, * k4, p2, k1, (p1, k1) 9 [12:14:16:19:21] times, p1 [0:0:1:0:0].

12th Row. K1 [0:0:1:0:0], (p1, k1) 9 [12:14:16:19:21] times, p1, k2, p4, * k2, p1, k2, p2, k2, p1, k2, p4, k2, p1, k2, p2, k2, p1, k2, * p4, k2, p1, (k1, p1) 9 [12:14:16:19:21] times, k1 [0:0:1:0:0].

13th Row. K1 [0:0:1:0:0], (p1, k1) 9 [12:14:16:19:21] times, p3, C4B, * p2, k1, p2, T3F, p1, k1, p1, T3B, T3F, p1, k1, p1, T3B, p2, k1, p2, * C4B, p3, (k1, p1) 9 [12:14:16:19:21] times, k1 [0:0:1:0:0].

14th Row. P1 [0:0:1:0:0], (k1, p1) 9 [12:14:16:19:21] times, k3, p4, * k2, p1, k3, p2, k1, p1, k1, p2, k2, p2, k1, p1, k1, p2, k3, p1, k2, * p4, k3, (p1, k1) 9 [12:14:16:19:21] times, p1 [0:0:1:0:0].

15th Row. P1 [0:0:1:0:0], (k1, p1) 9 [12:14:16:19:21] times, k1, p2, k4, * p2, k1, p3, T3F, k1, T3B, p2, T3F, k1, T3B, p3, k1, p2, * k4, p2, k1, (p1, k1) 9 [12:14:16:19:21] times, p1 [0:0:1:0:0].

16th Row. K1 [0:0:1:0:0], (p1, k1) 9 [12:14:16:19:21] times, p1, k2, p4, * k2, p1, k4, (p5, k4) twice, p1, k2, * p4, k2, p1, (k1, p1) 9 [12:14:16:19:21] times,

k1 [0:0:1:0:0].

From 1st to 16th row sets irish moss-st, cable and centre cable patt.

Keeping continuity of irish moss-st, cable and centre cable patt as set (throughout) cont until back measures 33 [39:41:41:49:49]cm, (13 [15½:16:16:19¼:19¼]in), ending with a ws row. **

Shape Armholes

Work 4 [4:5:5:6:6] rows dec 1 st at each end of every row.

72 [82:88:98:106:114] sts.

Cont without shaping until armholes measure 15 [17:19:21:23:25]cm, (6 [6½:7½:8¼:9:9½]in), ending with a ws row.

Shape Shoulders

Cast off 10 [12:13:9:11:11] sts in patt at beg of next 4 [4:4:2:6:4] rows.

32 [34:36:80:40:70] sts.

For 4th and 6th sizes only

Cast off [10:12] sts in patt at beg of next [4:2] rows. [40:46] sts.

For all 6 sizes

*** Leave rem 32 [34:36:40:40:46] sts on a stitch holder.

FRONT

Work as given for Back to **.

Shape Armholes

Work 4 [4:5:5:6:6] rows dec 1 st at each end of every row.

72 [82:88:98:106:114] sts.

Cont without shaping until armholes measure 8 [9:10:12:13:15]cm, (3 [3½:4:4¾:5¼:6]in), ending with a ws row.

Shape Neck

Next Row. Patt 27 [32:34:38:41:44], turn, leave rem 45 [50:54:60:65:70] sts on a stitch holder.

Working on these 27 [32:34:38:41:44] sts only proceed as follows:-

Next Row. Patt.

Work 4 [4:4:6:4:6] rows dec 1 st at neck edge in every row.

23 [28:30:32:37:38] sts.

Work 5 [7:7:5:7:7] rows dec 1 st at neck edge in next and every foll alt row.

20 [24:26:29:33:34] sts.

Cont without shaping until armhole

measures 15 [17:19:21:23:25]cm, (6 [6½:7½:8¼:9:9½]in), ending with a ws row.

Shape Shoulder

Next Row. Cast off 10 [12:13:9:11:11] sts in patt, patt to end.

10 [12:13:20:22:23] sts.

Next Row. Patt.

For 4th, 5th and 6th sizes only

Next Row. Cast off [10:11:11] sts in patt, patt to end. [10:11:12] sts.

Next Row. Patt.

For all 6 sizes

Cast off rem 10 [12:13:10:11:12] sts in patt.

With rs facing, working on rem 45 [50:54:60:65:70] sts, slip 18 [18:20:22:24:26] sts onto a stitch holder, rejoin yarn to rem 27 [32:34:38:41:44] sts and patt to end.

Next Row. Patt.

Work 4 [4:4:6:4:6] rows dec 1 st at neck edge in every row.

23 [28:30:32:37:38] sts.

Work 5 [7:7:5:7:7] rows dec 1 st at neck edge in next and every foll alt row.

20 [24:26:29:33:34] sts.

Cont without shaping until armhole measures 15 [17:19:21:23:25]cm,

(6 [6½:7½:8¼:9:9½]in), ending with a rs row.

Shape Shoulder

Next Row. Cast off 10 [12:13:9:11:11] sts in patt, patt to end.

10 [12:13:20:22:23] sts.

Next Row. Patt.

For 4th, 5th and 6th sizes only

Next Row. Cast off [10:11:11] sts in patt, patt to end. 10 [11:12] sts.

Next Row. Patt.

For all 6 sizes

Cast off rem 10 [12:13:10:11:12] sts in patt.

SLEEVES (Both alike)

Using 4mm needles and thumb method cast on 38 [42:42:46:50:50] sts, work 7 [7:7:7:9:9] rows in 2x2 rib.

Next Row. Rib 5 [7:7:6:8:8], inc in next

st, rib 8 [8:8:10:10:10], inc in next st)
3 times, rib 5 [7:7:6:8:8].

42 [46:46:50:54:54] sts.

Change to 5mm needles and proceed as follows:-

1st Row. (K1, p1) 3 [4:4:5:6:6] times, k1, work from * to * as given for 1st row of Back, k1, (p1, k1) 3 [4:4:5:6:6] times.

2nd Row. (P1, k1) 3 [4:4:5:6:6] times, p1, work from * to * as given for 2nd row of Back, p1, (k1, p1) 3 [4:4:5:6:6] times.

3rd Row. (P1, k1) 3 [4:4:5:6:6] times, p1, work from * to * as given for 3rd row of Back, p1, (k1, p1) 3 [4:4:5:6:6] times.

4th Row. (K1, p1) 3 [4:4:5:6:6] times, k1, work from * to * as given for 4th row of Back, k1, (p1, k1) 3 [4:4:5:6:6] times.

5th Row. Inc in 1st st, (p1, k1) 3 [4:4:5:6:6] times, work from * to * as given for 5th row of Back, * (k1, p1) 2 [3:3:4:5:5] times, k1, inc in next st, k1.

44 [48:48:52:56:56] sts.

6th Row. (K1, p1) 4 [5:5:6:7:7] times, work from * to * as given for 6th row of Back, (p1, k1) 4 [5:5:6:7:7] times.

From 1st to 4th row sets position of irish moss-st and 28 st centre cable patt.

Keeping continuity of patt as set and starting with 7th row of patt as given for Back, work 10 rows more to complete patt, inc 1 st at each end of 7th [7th:7th:5th:5th:5th] row.

46 [50:50:54:58:58] sts.

From 1st to 16th row sets patt.

Keeping continuity of patt as set (throughout) inc 1 st at each end of 7th [5th:5th:1st:1st:1st] and every foll 10th [8th:8th:6th:6th:6th] row to 56 [56:70:58:62:68] sts, working inc sts in irish moss-st.

For 2nd, 4th, 5th and 6th sizes only
Inc 1 st at each end of every foll [10th:8th:8th:8th] row to [64:74:80:82] sts.

For all 6 sizes

Cont without shaping until sleeve measures 33 [41:46:46:48:50]cm, (13 [16:18:18:19:19¾]in), or length required, ending with a ws row.

Shape Sleeve Top

Work 4 [4:5:5:6:6] rows dec 1 st at each end of every row.

48 [56:60:64:68:70] sts.

Work 0 [0:1:1:0:0] rows more without shaping.

Cast off 3 [4:4:5:3:3] sts in patt at beg of next 4 [6:4:10:4:2] rows.

36 [32:44:14:56:64] sts.

For 1st, 2nd, 3rd, 5th and 6th sizes only

Cast off 4 [5:5:4:4] sts in patt at beg of next 6 [4:6:10:12] rows.

12 [12:14:16:16] sts.

For all 6 sizes

Cast off rem 12 [12:14:14:16:16] sts in patt.

NECKBAND

Join right shoulder seam. With rs facing, using 4mm needles pick up and knit

16 [19:21:22:23:23] sts evenly along left side of neck, knit across 18

[18:20:22:

24:26] sts left on a stitch holder at front of neck, pick up and knit 16 [19:21:22:23:23] sts evenly along right side of neck and knit across 32 [34:36:40:40:46] sts left on a stitch holder at back of neck.

82 [90:98:106:110:118] sts.

Starting with 2nd row of 2x2 rib work 5 [5:5:5:7:7] rows.

Cast off **loosely** in rib.

TO MAKE UP

Join left shoulder and neckband seams. Fold sleeves in half lengthways, then placing folds to shoulder seams, sew sleeves in position. Join side and sleeve seams. Pin out garment to the measurement given. Cover with damp cloths and leave until dry. See ball band for washing and further care instructions.

V NECK SWEATER

BACK

Work as given for Back of Round Neck Sweater to ***.

Cast off rem 32 [34:36:40:40:46] sts.

FRONT

Work as given for Back of Round Neck Sweater to **.

Shape Armhole and Divide for Neck

Next Row. Patt2tog, patt 36 [41:45:50:55:59], patt2tog, turn, leave rem 40 [45:49:54:59:63] sts on a stitch holder.

Working on these 38 [43:47:52:57:61] sts only proceed as follows:-

Next Row. Patt to last 2 sts, patt2tog. 37 [42:46:51:56:60] sts.

Work 2 [2:3:3:4:4] rows dec 1 st at armhole edge in every row AT SAME TIME dec 1 st at neck edge in next and every foll 0 [0:2nd:2nd:2nd:2nd] row. 34 [39:41:46:50:54] sts.

Work 28 [29:27:29:30:32] rows dec 1 st at neck edge only in 1st [1st:2nd:2nd:1st:1st] and every foll alt row.

20 [24:28:32:35:38] sts.

For 3rd, 4th, 5th and 6th sizes only

Work [5:9:5:13] rows dec 1 st at neck edge in next and every foll 4th row. [26:29:33:34] sts.

For all 6 sizes

Cont without shaping until armhole measures 15 [17:19:21:23:25]cm, (6 [6½:7½:8¼:9:9¾]in), ending with a ws row.

Shape Shoulder

Next Row. Cast off 10 [12:13:9:11:11] sts in patt, patt to end.

10 [12:13:20:22:23] sts.

Next Row. Patt.

For 4th, 5th and 6th sizes only

Next Row. Cast off [10:11:11] sts in patt, patt to end. [10:11:12] sts.

Next Row. Patt.

For all 6 sizes

Cast off rem 10 [12:13:10:11:12] sts in patt.

With rs facing, rejoin yarn to rem 40 [45:49:54:59:63] sts, patt2tog, patt to last 2 sts, patt2tog. 38 [43:47:52:57:61] sts.

Next Row. Patt2tog, patt to end. 37 [42:46:51:56:60] sts.

Work 2 [2:3:3:4:4] rows dec 1 st at neck

Shape Shoulder

Next Row. Cast off 10 [12:13:9:11:11] sts in patt, patt to end.
10 [12:13:20:22:23] sts.

Next Row. Patt.

For 4th, 5th and 6th sizes only

Next Row. Cast off [10:11:11] sts in patt, patt to end. [10:11:12] sts.

Next Row. Patt.

For all 6 sizes

Cast off rem 10 [12:13:10:11:12] sts in patt.

SLEEVES

Work as given for Sleeves of Round Neck Sweater.

STAND UP NECKBAND

Join right shoulder seam. With rs facing, using 4mm needles pick up and knit 11 [13:15:15:19:19] sts evenly along left side of neck, knit across 24 [26:28:28:28:34] sts left on a stitch holder at front of neck, pick up and knit 11 [13:15:15:19:19] sts evenly from right side of neck and knit across 32 [34:36:40:40:46] sts left on a stitch holder at back of neck.

78 [86:94:98:106:118] sts.

Starting with 1st row of 2x2 rib, work in rib until neckband measures 11 [11:11:13:13:13]cm, (4¼ [4¼:4¼:5¼:5¼:5¼]in), ending with a ws row.

Cast off in rib.

TO MAKE UP

Join left shoulder and neckband seams, reversing sewing for turnback. Fold sleeves in half lengthways, then placing folds to shoulder seams, sew sleeves in position. Join side and sleeve seams. Pin out garment to the measurement given. Cover with damp cloths and leave until dry. See ball band for washing and further care instructions.

WRAP NECK SWEATER

BACK

Work as given for Back of Round Neck Sweater to ***.

Cast off rem 32 [34:36:40:40:46] sts in patt.

FRONT

Work as given for Back of Round Neck Sweater to **.

Shape Armholes

Work 4 [4:5:5:6:6] rows dec 1 st at each end of every row.

72 [82:88:98:106:114] sts.

Cont without shaping until armholes measure 3 [4:5:7:8:10]cm, (1¼ [1½:2:2¾:3:4]in), ending with a ws row.

Shape Neck

Next Row. Patt 20 [24:26:29:33:34], leave rem 52 [58:62:69:73:80] sts on a stitch holder.

Work on these 20 [24:26:29:33:34] sts cont until armhole measures 15 [17:19:21:23:25]cm, (6 [6½:7½:8¼:9:9¾]in), ending with a ws row.

Shape Shoulder

Next Row. Cast off 10 [12:13:9:11:11] sts in patt, patt to end.
10 [12:13:20:22:23] sts.

Next Row. Patt.

For 4th, 5th and 6th sizes only

Next Row. Cast off [10:11:11] sts in patt, patt to end. [10:11:12] sts.

Next Row. Patt.

For all 6 sizes

Cast off rem 10 [12:13:10:11:12] sts in patt.

With rs facing, rejoin yarn to 52 [58:62:69:73:80] sts left on a stitch holder and proceed as follows:-

Next Row. Cast off 32 [34:36:40:40:46] sts, patt to end. 20 [24:26:29:33:34] sts. Working on these 20 [24:26:29:33:34] sts cont until armhole measures 15 [17:19:21:23:25]cm, (6 [6½:7½:8¼:

9:9¾]in), ending with a rs row.

Shape Shoulder

Next Row. Cast off 10 [12:13:9:11:11] sts in patt, patt to end.
10 [12:13:20:22:23] sts.

Next Row. Patt.

For 4th, 5th and 6th sizes only

Next Row. Cast off [10:11:11] sts in patt. [10:11:12] sts.

Next Row. Patt.

For all 6 sizes

Cast off rem 10 [12:13:10:11:12] sts in patt.

SLEEVES (Both alike)

Work as given for sleeves of Round Neck Sweater.

COLLAR

Using 4mm needles and thumb method cast on 92 [96:100:100:112:120] sts.

1st Row. P1, * k2, p2, rep from * to last 3 sts, k2, p1.

2nd Row. K1, p2, * k2, p2, rep from * to last st, k1.

1st and 2nd rows set rib.

Cont in rib until collar measures 12 [13:14:15:15:17]cm, (4¾ [5¼:5½:6:6:6½]in), ending with a ws row.

Cast off in rib.

TO MAKE UP

Join shoulder seams. Fold sleeves in half lengthways, then placing folds to shoulder seams, sew sleeves in position. Join side and sleeve seams. Sew cast on edge of collar in position evenly all round neck edge. Placing left over right for a man and right over left for a lady, sew side edges of collar to cast off stitches at front. Pin out garment to the measurement given. Cover with damp cloths and leave until dry. See ball band for washing and further care instructions.

QUERIES. Please contact:- Knitting Helpline. Sirdar Spinning Ltd. Flanshaw Lane, Wakefield. WF2 9ND. West Yorkshire, England.

For General Queries:- Tel: 01924 371501. Fax: 01924 290506.

For Knitting Helpline Enquiries:- Tel: 01924 231686. (Voice mail service replies within 7 working days) www.sirdar.co.uk • email: Knitting-helpline@sirdar.co.uk

WARNING. Reproduction of this publication is protected by copyright. It is sold on the condition that it is only used for non-commercial purposes.

All other rights reserved by Sirdar Spinning Ltd.

SIRDAR SPINNING LTD CANNOT ACCEPT RESPONSIBILITY FOR THE RESULT OF USING ANY OTHER YARN.

WPCM9691



5 024723 996919

in	
cm	1
	2
	3
	4
	5
	6
	7
	8
	9
	10
	11
	12
	13
	14
	15
	16
	17
	18
	19
	20
	21
	22
	23
	24
	25
	26